

Sound Wall Tutorial

There are six hinged folding panels.

Panel #1

1. The first panel out is panel #1.
2. Slide panel #1 out of the niche and across the room.
3. Carefully control the speed so you don't slam them around or, most importantly, pinch any appendages while you're moving them.
4. Mate the edge of panel #1 carefully with it's mate affixed to the east wall. (NOTE: It is important to seat the panels snugly to ensure the best sound proofing and to ensure that the hinged panel is flat, not angled at the hinge.)
5. When panel #1 is seated and flat, lock it down using the **panel handle** (located in the organ bench).
6. The locking mechanism is **square** and except for panel #6, is located in the **edge of the wall**. When you turn the handle the **spring loaded locking foot** located at the bottom of the panel will deploy and **secure the panel in place**.
7. **Repeat this process for panels #1-#5.**


Panel #6

The locking mechanism is located in a different place for the last panel, panel #6.

1. It is in the side of the wall but the procedure is the same. Stowing the wall after use is simply the deployment procedure in reverse.
2. Finally, don't forget to put the **panel handle back in the organ bench**.


View a YouTube video:

<https://www.youtube.com/watch?v=b5wM-8Sal-0>





Square locking mechanism



Panel #6 locking mechanism, handle and hand hold